

SAFETY DATA SHEET



Issue Date 01-Jun-2010

Revision Date 26-Feb-2015

Version 1

1. IDENTIFICATION

Product Identifier

Product Name Solar Wipe Off

Other means of identification

SDS # Wipe Off

Other Information Package type: 1, 5 & 55 gallon units.

Recommended use of the chemical and restrictions on use

Recommended Use Concentrated alkaline general purpose cleaner and degreaser.

Restrictions on Use For Professional use only.

Details of the supplier of the safety data sheet

Manufacturer Address

Solar Chemicals Inc.
3471 Atlanta Industrial Parkway
Suite 200
Atlanta, GA 30331

Emergency telephone number

Company Phone Number 404-699-8766
1-800-929-1321
Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Signal word

Danger

Hazard statements

Causes skin irritation
Causes serious eye damage

**Appearance** Clear purple liquid**Physical state** Liquid**Odor** Butyl**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician
 IF ON SKIN: Wash with plenty of soap and water
 If skin irritation occurs: Get medical advice/attention
 Take off contaminated clothing and wash before reuse

Hazards not otherwise classified (HNOC)

May be harmful in contact with skin

Other Information

Not Applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
2-Butoxyethanol	111-76-2	<9
Monoethanolamine	141-43-5	<4
Sodium metasilicate pentahydrate	10213-79-3	<4

4. FIRST AID MEASURES

First aid measures**Inhalation**

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Ingestion

Drink plenty of water. Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Seek medical attention immediately.

Skin Contact

Neutralize with very diluted vinegar solution, wash with soap and water, apply skin cream. For large burns - GET IMMEDIATE MEDICAL ATTENTION. Do not allow prolonged contact with the concentrated undiluted material as toxic amounts can be absorbed.

Most important symptoms and effects, both acute and delayed

Symptoms Causes skin irritation. Causes eye irritation. Ingestion may cause severe burns to mouth, throat or stomach. May cause respiratory irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific hazards arising from the chemical

Avoid mixing with oxidizers.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Wear impervious to strong alkaline protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Wash thoroughly after handling.

For emergency responders Fumes are toxic and irritating.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Neutralize with water and vinegar.

Methods for cleaning up For small spills: wash to drain after product is neutralized. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing. Wash face, hands and any exposed skin thoroughly after handling. Use personal protection recommended in Section 8.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Keep container tightly closed in a dry and well-ventilated place.

Incompatible materials Oxidizers. Acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³
Monoethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m ³ (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m ³ (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m ³	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m ³ STEL: 6 ppm STEL: 15 mg/m ³

Appropriate engineering controls

Engineering Controls If vapors are detected, ventilate work area by opening windows and using exhaust fans. Always work with wind from behind.

Individual protection measures, such as personal protective equipment

- Eye/face protection** Use tight fitting, splash proof safety goggles. Contact lenses should not be worn when handling this material. Face Mask.
- Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear protective Neoprene™ gloves.
- Respiratory protection** Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Odor	Butyl
Appearance	Clear	Odor threshold	Not determined
Color	Purple		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	13.0	
Melting point/freezing point	Not determined	
Boiling point/boiling range	Not determined	
Flash point	Not determined	
Evaporation rate	Not determined	
Flammability (solid, gas)	Not determined	
Flammability Limits in Air		
Upper flammability limits	Not determined	
Lower flammability limit	Not determined	
Vapor pressure	Not determined	
Vapor density	Not determined	
Specific Gravity	1.054	
Water solubility	Not determined	
Solubility in other solvents	Not determined	
Partition coefficient	Not determined	
Autoignition temperature	Not determined	
Decomposition temperature	Not determined	

Solar Wipe Off

Kinematic viscosity
Dynamic viscosity
Explosive properties
Oxidizing properties

Not determined
Not determined
Not determined
Not determined

Other Information**10. STABILITY AND REACTIVITY****Reactivity**

Not reactive under normal conditions

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Product will react violently with the addition of incompatible materials.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Incompatible materials. Keep out of reach of children.

Incompatible materials

Oxidizers. Acids.

Hazardous Decomposition ProductsCarbon dioxide (CO₂). Carbon monoxide.**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure****Product Information****Inhalation**

May cause irritation of respiratory tract.

Eye contact

Causes serious eye damage.

Skin Contact

Causes skin irritation. May be harmful in contact with skin.

Ingestion

May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
2-Butoxyethanol 111-76-2	470 mg/kg (Rat)	220 mg/kg (Rabbit) 2270 mg/kg (Rat)	2.21 mg/L (Rat) 4 h 450 ppm (Rat) 4 h
Monoethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1 mL/kg (Rabbit) = 1025 mg/kg (Rabbit)	-
Sodium metasilicate pentahydrate	847 mg/kg (Rat)	-	-

Information on physical, chemical and toxicological effects**Symptoms**

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Carcinogenicity**

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Solar Wipe Off

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-76-2	A3	Group 3		

Numerical measures of toxicity- Product

Not determined

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) ATEmix	9603 mg/kg
(dermal) ATEmix	4742 mg/kg
(inhalation-gas)	610714 mg/l
ATEmix (inhalation-dust/mist)	24.5 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Butoxyethanol 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 >1000: 48 h Daphnia magna mg/L EC50
Monoethanolamine 141-43-5	15: 72 h Desmodesmus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow-through 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through		65: 48 h Daphnia magna mg/L EC50

Persistence and degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined.

Chemical Name	Partition coefficient
2-Butoxyethanol 111-76-2	0.81
Monoethanolamine 141-43-5	-1.91

Other adverse effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	<9	1.0

SARA 311/312 Hazard Categories

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-Butoxyethanol 111-76-2	X	X	X
Monoethanolamine 141-43-5	X	X	X

U.S. EPA Label Information

16. OTHER INFORMATION

NFPA	Health hazards	Flammability	Instability	Special Hazards Not
	Not determined	Not determined	Not determined	determined
HMIS	Health hazards	Flammability	Physical hazards	Personal protection
	2	0	0	X

Issue Date	01-Jun-2010
Revision Date	26-Feb-2015
Revision Note	

new format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet