# **Safety Data Sheet**

Issue Date: 01-Sep-2004 Revision Date: 06-Jan-2016 Version 1

# 1. IDENTIFICATION

**Product Identifier** 

Product Name Extraction Plus

Other means of identification

**SDS #** SOL-032

Recommended use of the chemical and restrictions on use

**Recommended Use** For industrial use.

Details of the supplier of the safety data sheet

Manufacturer Address Solar Chemicals Inc. 3471 Atlanta Industrial Parkway Suite 200

Atlanta, GA 30331

**Emergency Telephone Number** 

**Company Phone Number** 404-699-8766 1-800-929-1321

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

CHEMTREC 1-800-424-9300

### 2. HAZARDS IDENTIFICATION

Appearance Clear liquid Physical State Liquid Odor Citrus or fruit odor

## Classification

Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1

#### **Hazards Not Otherwise Classified (HNOC)**

May be harmful if swallowed Causes mild skin irritation

# Signal Word Warning

#### **Hazard Statements**

Causes serious eye irritation
May cause an allergic skin reaction



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Harmful to aquatic life with long lasting effects

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethylene Glycol Monobutyl Ether	111-76-2	1-10
Sodium lauryl sulfate	151-21-3	<5
Isopropyl Alcohol	67-63-0	<5
Tetrapotassium pyrophosphate	7320-34-5	<5
Tetrasodium EDTA	64-02-8	<5
d-Limonene	5989-27-5	<1

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST-AID MEASURES

#### **First Aid Measures**

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Skin Contact** Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin

irritation or rash occurs: Get medical advice/attention.

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

## Most important symptoms and effects

Symptoms May be harmful if swallowed. Causes mild skin irritation. Causes serious eye irritation. May

cause an allergic skin reaction.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

## Suitable Extinguishing Media

Carbon dioxide (CO2). Foam. Dry chemical.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Not determined.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2).

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required.

## Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Dilute with plenty of water and flush to sanitary sewer.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wash face, hands

and any exposed skin thoroughly after handling. Avoid breathing

dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing and eye/face protection.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible Materials** Acids. Strong oxidizing agents.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Monobutyl Ether	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m <sup>3</sup>	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m <sup>3</sup>
		(vacated) TWA: 120 mg/m <sup>3</sup>	
		(vacated) S*	
		S*	
Isopropyl Alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	

#### **Appropriate engineering controls**

**Engineering Controls** Showers. Eyewash stations. Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical goggles with side shields.

**Skin and Body Protection** Impervious rubber gloves. Impervious footwear.

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical StateLiquidAppearanceClear liquidColorClear

Clear liquid Odor Citrus or fruit odor Clear Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 10.0 Melting Point/Freezing Point N/A

**Boiling Point/Boiling Range** Not determined Flash Point Not determined **Evaporation Rate** Not determined Flammability (Solid, Gas) Liquid-Not applicable **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined Vapor Density Not determined

Specific Gravity 1.035 (Water = 1)

Water Solubility Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

## **Chemical Stability**

Stable under recommended storage conditions.

## **Possibility of Hazardous Reactions**

None under normal processing.

Hazardous Polymerization Under normal conditions of storage and use, hazardous polymerization will not occur.

### **Conditions to Avoid**

Incompatible Materials.

### **Incompatible Materials**

Acids. Strong oxidizing agents.

## **Hazardous Decomposition Products**

Carbon monoxide. Carbon dioxide (CO2).

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes serious eye irritation.

**Skin Contact** Causes mild skin irritation.

**Inhalation** Do not inhale.

**Ingestion** May be harmful if swallowed.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene Glycol Monobutyl Ether	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
111-76-2			
nonylphenol ethoxylate	= 2590  mg/kg  (Rat) = 1310  mg/kg	= 1780 μL/kg (Rabbit) = 2 mL/kg (	-
9016-45-9	(Rat)	Rabbit )	
Sodium lauryl sulfate	= 977 mg/kg (Rat)	= 580 mg/kg ( Rabbit )	> 3900 mg/m³ (Rat) 1 h
151-21-3			
Isopropyl Alcohol	= 1870 mg/kg (Rat)	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> (Rat) 4 h
67-63-0			
Tetrapotassium pyrophosphate	-	> 4640 mg/kg (Rabbit)	-
7320-34-5			
Tetrasodium EDTA	= 1658 mg/kg (Rat) = 10 g/kg (	-	-
64-02-8	Rat )		
d-Limonene	= 4400 mg/kg ( Rat )	> 5 g/kg (Rabbit)	-
5989-27-5		·	

# Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause an allergic skin reaction.

Carcinogenicity Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl	A3	Group 3		
Ether				
111-76-2				
Isopropyl Alcohol		Group 3		X
67-63-0		-		
d-Limonene		Group 3		
5989-27-5				

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

#### **Numerical measures of toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

\_\_\_\_\_

# **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

# **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethylene Glycol Monobutyl Ether 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1000: 48 h Daphnia magna mg/L EC50 1698 - 1940: 24 h Daphnia magna mg/L EC50
Sodium lauryl sulfate 151-21-3	53: 72 h Desmodesmus subspicatus mg/L EC50 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 117: 96 h Pseudokirchneriella subcapitata mg/L EC50 3.59 - 15.6: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	8 - 12.5: 96 h Pimephales promelas mg/L LC50 static 15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 22.1 - 22.8: 96 h Pimephales promelas mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 5.8 - 7.5: 96 h Pimephales promelas mg/L LC50 static 10.2 - 22.5: 96 h Pimephales promelas mg/L LC50 semi-static 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 semi-static 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 semi-static 10.8 - 16.6: 96 h Poecilia reticulata mg/L LC50 semi-static 10.8 - 16.6: 96 h Poecilia reticulata mg/L LC50 semi-static 4.2: 96 h Cyprinus carpio mg/L LC50 semi-static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 4.5: 96 h Lepomis macrochirus mg/L LC50 flow-through 4.5: 96 h Lepomis macrochirus mg/L LC50		1.8: 48 h Daphnia magna mg/L EC50
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow- through 1400000: 96 h Lepomis macrochirus µg/L LC50 11130: 96 h Pimephales promelas mg/L LC50 static		13299: 48 h Daphnia magna mg/L EC50
Tetrapotassium pyrophosphate 7320-34-5		100: 96 h Oncorhynchus mykiss mg/L LC50		100: 48 h water flea mg/L EC50
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static		610: 24 h Daphnia magna mg/L EC50
d-Limonene 5989-27-5		0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50		

# Persistence/Degradability

\_\_\_\_\_\_

Not determined.

#### Bioaccumulation

Not determined.

## **Mobility**

Chemical Name	Partition Coefficient
Ethylene Glycol Monobutyl Ether 111-76-2	0.81
Sodium lauryl sulfate 151-21-3	1.6
Isopropyl Alcohol 67-63-0	0.05

#### **Other Adverse Effects**

Not determined

### 13. DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Isopropyl Alcohol	Toxic
67-63-0	Ignitable
d-Limonene	Toxic
5989-27-5	

# 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

**DOT** Not regulated

<u>IATA</u> Not regulated

<u>IMDG</u>

Marine Pollutant This material may meet the definition of a marine pollutant

# 15. REGULATORY INFORMATION

# International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Ethylene Glycol Monobutyl Ether	Present	Х		Present		Present	Х	Present	Χ	Х
Sodium lauryl sulfate	Present	Χ		Present		Present	Χ	Present	Χ	Χ
Isopropyl Alcohol	Present	Х		Present		Present	Х	Present	Х	Х
Tetrapotassium pyrophosphate	Present	Х		Present		Present	Х	Present	Х	Х
Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS

Tetrasodium EDTA	Present	Х	Present	Present	Х	Present	Х	Х
d-Limonene	Present	Χ	Present	Present	Х	Present	Χ	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### **SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	1-10	1.0
Isopropyl Alcohol - 67-63-0	67-63-0	<5	1.0

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **US State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethylene Glycol Monobutyl Ether 111-76-2	X	X	X
Isopropyl Alcohol 67-63-0	X	X	X

# **16. OTHER INFORMATION**

NFPA Health Hazards

Not determined Health Hazards Flammability
Not determined
Flammability

Instability
Not determined
Physical Hazards

Special Hazards
Not determined
Personal Protection
Not determined

Issue Date:01-Sep-2004Revision Date:06-Jan-2016Revision Note:New format

#### Disclaimer

HMIS

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**